



The easiest switch to comfortable white light

MASTER CityWhite CDO-ET

Ceramic metal halide lamp, with opalized ovoid outer bulb shape, used in outdoor offering pleasant white light

Benefits

- White warm color impression providing comfort and safety
- Easy upgrade from SON to white light without additional cost
- Flexible light levels and reduced energy consumption possible via dimming option

Features

- High-quality white light
- Directly retrofit on HPS (SON/NAV) installations for upgrade from yellow to white light
- "Plus" concept with high efficacy translates into high light output and improved lumen maintenance
- Good color rendering and harmonized warm white color temperature
- Dimmable

Application

- Beautification and functional lighting for City centers, shopping centers and pedestrian areas, residential areas, road lighting and floodlighting

MASTER CityWhite CDO-ET

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- Lamps may use electronic or electromagnetic control gear
- Control gear must include end-of-life protection (IEC61167, IEC 62035)
- Warm restart time can be up to 15 minutes; T15 ignitors therefore advised
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Controls and Dimming	
Dimmable	Yes
General Information	
Life To 50% Failures (Nom)	27000 h
LSF 2000 h Rated	99 %
LSF 4000 h Rated	99 %
Operating Position	UNIVERSAL
Luminaire Design Requirements	
Bulb Temperature (Max)	350 °C
Light Technical	
Chromaticity Coordinate X (Nom)	0.447
Chromaticity Coordinate Y (Nom)	0.4
Colour Code	828
Colour Designation	Warm White (WW)
Correlated Colour Temperature (Nom)	2800 K
Ratio Scotopic/Photopic Lumens	1.30
Mechanical and Housing	
Bulb Finish	Coated glass

Approval and Application

Order Code	Full Product Name	Energy Consumption	Mercury (Hg)	Mercury (Hg)
		kWh/1000 h	Content (Max)	Content (Nom)
15875200	MASTER CityWhite CDO-ET Plus 70W/828 E27	71 kWh	7.8 mg	7.8 mg
15881300	MASTER CityWhite CDO-ET Plus 150W/828 E40	143 kWh	15.8 mg	15.8 mg

Operating and Electrical (1/2)

Order Code	Full Product Name	Lamp			
		Current (EM) (Nom)	Voltage (Max)	Voltage (Min)	Voltage (Nom)
15875200	MASTER CityWhite CDO-ET Plus 70W/828 E27	0.99 A	96 V	80 V	83 V

Order Code	Full Product Name	Lamp			
		Current (EM) (Nom)	Voltage (Max)	Voltage (Min)	Voltage (Nom)
15881300	MASTER CityWhite CDO-ET Plus 150W/828 E40	1.85 A	98 V	82 V	89 V

Operating and Electrical (2/2)

Order Code	Full Product Name	Power (Rated)	Re-Ignition Time
		(Nom)	(Min) (Max)
15875200	MASTER CityWhite CDO-ET Plus 70W/828 E27	71.0 W	720 s

Order Code	Full Product Name	Power (Rated)	Re-Ignition Time
		(Nom)	(Min) (Max)
15881300	MASTER CityWhite CDO-ET Plus 150W/828 E40	143.0 W	900 s

General Information (1/2)

MASTER CityWhite CDO-ET

Order Code	Full Product Name	Cap-Base	Life To 10%	Life To 20%	Life To 5%
			Failures (Nom)	Failures (Nom)	Failures (Nom)
15875200	MASTER CityWhite CDO-ET Plus 70W/828 E27	E27	15000 h	17000 h	13000 h

Order Code	Full Product Name	Cap-Base	Life To 10%	Life To 20%	Life To 5%
			Failures (Nom)	Failures (Nom)	Failures (Nom)
15881300	MASTER CityWhite CDO-ET Plus 150W/828 E40	E40	20000 h	22500 h	18000 h

General Information (2/2)

Order Code	Full Product Name	LSF 12000 h	LSF 16000 h	LSF 20000 h	LSF 6000 h	LSF 8000 h
		Rated	Rated	Rated	Rated	Rated
15875200	MASTER CityWhite CDO-ET Plus 70W/828 E27	90 %	81 %	71 %	98 %	96 %
15881300	MASTER CityWhite CDO-	99 %	97 %	90 %	99 %	99 %

Order Code	Full Product Name	LSF 12000 h	LSF 16000 h	LSF 20000 h	LSF 6000 h	LSF 8000 h
		Rated	Rated	Rated	Rated	Rated
	ET Plus 150W/828 E40					

Light Technical (1/2)

Order Code	Full Product Name	Colour Rendering Index (Min)	Colour Rendering Index (Nom)	LLMF 12000 h	LLMF 16000 h
		Rated	Rated	Rated	Rated
15875200	MASTER CityWhite CDO-ET Plus 70W/828 E27	81	84	80.5 %	76.5 %

Order Code	Full Product Name	Colour Rendering Index (Min)	Colour Rendering Index (Nom)	LLMF 12000 h	LLMF 16000 h
		Rated	Rated	Rated	Rated
15881300	MASTER CityWhite CDO-ET Plus 150W/828 E40	-	85	85 %	82 %

Light Technical (2/2)

Order Code	Full Product Name	LLMF 2000 h	LLMF 20000 h	LLMF 4000 h	LLMF 6000 h	LLMF 8000 h	Luminous Efficacy (rated) (Nom)	Luminous Flux (Nom)	Luminous Flux (Rated) (Nom)
		Rated	Rated	Rated	Rated	Rated			
15875200	MASTER CityWhite CDO-ET Plus 70W/828 E27	97 %	73.5 %	93 %	89.5 %	86 %	99 lm/W	7030 lm	7030 lm
15881300	MASTER CityWhite CDO-ET Plus 150W/828 E40	95 %	80 %	92 %	90 %	88 %	108 lm/W	15400 lm	15400 lm

Mechanical and Housing

Order Code	Full Product Name	Bulb Shape
15875200	MASTER CityWhite CDO-ET Plus 70W/828 E27	B70

Order Code	Full Product Name	Bulb Shape
15881300	MASTER CityWhite CDO-ET Plus 150W/828 E40	BD90

